


CLOCK, MINI, CARBON FIBRE LOOK
08E70GEE800



TIE DOWNS 38MM
L08TD001MC



FUEL CAN (5 LITRE)
L1294P07001



TANK BAG, MAGNETIC, A4 SIZE
08L56KAZ800



U-LOCK, UNDER SEAT STORAGE
08M53KAZ800



USAGE METER WITH TACHO (AR36)
08174881000AH



Shows RPM & Hours usage. Designed for 4 strokes but will work on 2 strokes only it shows RPM as twice actual. Not recommended for CRF250R


BATTERY CHARGER
L08BATAC900MB



CROCODILE CLAMPS
08M51AMCLAMPS



CONNECTION HARNESS
08M51AMEYEDL



BATTERY TESTER
08M51EWA800ZA



CABLE, KRYPTONITE 1200 X 10MM
L210818



1200 X 10MM Kryptonite Cable .

TYRE LEVER (QTY 1)
077720020100



HONDA HP4 1 LITRE

L1002HP41312



Genuine HP4 Engine Oil. SAE 10W-30 SJ

HONDA HP4 4 LITRE

L1002HP41304



Genuine HP4 Engine Oil. SAE 10W-30 SJ

HONDA HP4 20 LITRE

L1002HP41320



Genuine HP4 Engine Oil. SAE 10W-30 SJ

HONDA GN4 1 LITRE

L1002GN41312



Genuine GN4 Engine Oil. SAE 10W-30 SJ

HONDA GN4 4 LITRE

L1002GN41304



Genuine GN4 Engine Oil. SAE 10W-30 SJ

HONDA GN4 20 LITRE

L1002GN41320



Genuine GN4 Engine Oil. SAE 10W-30 SJ

HONDA HP4M

08C35A141M02



A synthetic/mineral oil blend that combines the very best qualities of both types, HP4M also features a comprehensive additive package and friction-reducing molybdenum compound for smoother shifting, maximum fuel economy and peak horsepower.

HONDA HP2

08C35AH21S01



Pro Honda HP2 Engine Oil

HONDA GN2

08C35AG21M01



Pro Honda GN2 Engine Oil

HONDA HP TRANS OIL

08C35A851M01



Genuine High performance Transmission Oil. Formulated for all Honda CR and CRF models with separate transmissions.

MANUAL TRANS. FLUID

08261MTFL00



SAE 75W-80 API GL4. Formulated for use in all Honda vehicles with separate manual transmissions.

CHAIN LUBE WITH WHITE GRAPHITE 08732CLG00



Advanced technology for the ultimate in lubrication and protection. Contains white graphite for superior lubrication. Resists wear and weather for long-lasting lubrication. Compatible with both O-ring and non O-ring chains. Works at both high and low temperature extremes. No-filing formulation.

CHAIN LUBE WITH MOLY 08732CLM00



Contains MOLY and PTEF for superior lubrication. Resists wear and weather for long-lasting lubrication. Compatible with both o-ring and non o-ring chains. Works at both high and low temperature extremes. Contains no chlorinated solvents or CFC's. No-filing formula.

WHITE LITHIUM GREASE 08732WLG00



Pro Honda White Lithium Grease. Low VOC formula meets current CARB and OTC standards.

HONDALUBE / RUST PENETRANT 08732RP000



Displaces moisture and protects against rust and corrosion. Frees rusted parts. Lubricates all metal surfaces. Low VOC formula meets current CARB and OTC standards. Contains no chlorinated solvents or CFC's.

CONTACT/BRAKE CLEANER (LOW VOC, NON-CHLORINATED) 08732CBL49



Removes grease and oil quickly. Cleans brake drums, liners, cylinders, and springs. Safe for most plastics. Dries fast with no residue. Low VOC formula. Contains no chlorinated solvents or CFC's.

CARBURETOR CLEANER (NON-CHLORINATED) 08732CC000



Cleans throttle and choke linkages. Decarbonizes intake and emission system components. Computer oxygen sensor safe. Ultra-low VOC non-chlorinated formula.

MOTORCYCLE - GENUINE CLEANERS AND POLISHERS

HONDA METAL POLISH

08C20A021S



Recommended for use on all Honda Motorcycles.
Please use as directed.

HONDAGLOSS

08C25A081S



Cleans, polishes, seals and protects in one easy application.

HONDA GLARE ULTRA WASH

08732GLR002



Advanced vehicle wash. New technology with "Glassplexin" leaves your vehicle clean and glossy. Safe for all paints, including new clear coated paints. PH balanced. Best when used in conjunction with Honda glare Professional polish.

DESCRIPTION

08732SCP00



Complete detailer in a can. Exclusive Honda formula. The #1 selling original industry standard.

HONDABRITE™

087320020B



Cleans an entire motorcycle or ATV in just minutes. Removes dirt, oil, road grime, and insects. Cleans paint, chrome, alloy, and rubber. Contains powerful corrosion-inhibitors. Easy to spray on and hose off. Surface safe when used as directed.

HONDA GLARE POLISH

08731GLR001



Creates a rock-hard protective shield. For use on paint, fibreglass, chrome, glass, carbon fibre and metal alloys

HP COOLANT - GREEN
08C50C321S01



Exclusive formula developed by Honda R&D.

GENUINE COOLANT 1LT
B1800



Uniquely blue in colour. Specifically designed for use in all Honda cooling systems.

GENUINE COOLANT 5LT
B1801



Uniquely blue in colour. Specifically designed for use in all Honda cooling systems.

GENUINE COOLANT 20LT
B1802



Uniquely blue in colour. Specifically designed for use in all Honda cooling systems.

FORK OIL 5W - 1 LITRE
0829099961



Friction-modified formula specifically engineered for the latest in suspension technology from showa and KYB. Minimizes stiction and cavitation, providing optimum performance for all Honda inverted-fork suspension systems.

FORK OIL 5W - 5 LITRE
0829099964



Friction-modified formula specifically engineered for the latest in suspension technology from showa and KYB. Minimizes stiction and cavitation, providing optimum performance for all Honda inverted-fork suspension systems.

10W SUSPENSION FLUID - 1 LITRE
0820899922



Maintains peak performance on most severe operating conditions. Dyno proven to reduce internal friction. Superior anti-foam, anti-fade, and anti-wear characteristics. Original equipment on several 2003 and later motorcycle models.

10W SUSPENSION FLUID - 5 LITRE
0820899923



Maintains peak performance on most severe operating conditions. Dyno proven to reduce internal friction. Superior anti-foam, anti-fade, and anti-wear characteristics. Original equipment on several 2003 and later motorcycle models.

SHAFT DRIVE OIL
082080080



Single application hypoid gear oil SAE 80W90. Approved for use in Honda Goldwings and other shaft-drive motorcycles and ATVs. Exceeds API service classifications GL-4 and GL-5.

FUEL STABILIZER BY STA-BIL®
087320001



Genuine Sta-Bil formula eliminates the need to drain fuel for engines stored longer than 60 days. Prevents rust, corrosion, and fuel deposits. Available in convenient 8oz. and 32oz. bottles.

DOT 4 BRAKE FLUID
082030004



High-temperature formula for heavy-duty or racing applications. Designed for use in all hydraulic brake and clutch systems requiring. Dot 3 or dot 4

HONDA FOAM AIR-FILTER MAINTENANCE PRODUCTS BY NO TOIL

COMPLETE KIT 08207NTL001



Honda air filter cleaning system is available as a 3 piece kit.

AIR FILTER OIL 08207NTL002



Cannot be used to clean filters already treated with conventional petroleum products.

FOAM FILTER CLEANER 08207NTL003



Cannot be used to clean filters already treated with conventional petroleum products.

FOAM FILTER SEALER 08207NTL004



Cannot be used to clean filters already treated with conventional petroleum products.

ANTI SEIZE
08732AS000



Protects against rust and corrosion caused by chemicals. Provides excellent protection over an extended period for threaded fittings. Waterproof. Prevents metal parts from galling and seizing. Protects against temperatures up to 2600° F.

MOLY 60 PASTE
087340001



60 percent Moly grease formula. Contents are solid and will not separate at room temperature. Recommended for gears, bearings and other high-pressure, high temperature applications. Use on Pro-Link linkages where Moly 45 is recommended.

HONDALOCK 1
087130001



Low-strength blue coloured threadlock for frequently removed and/or low-torque fasteners. Protects against corrosion and wear. Resists vibration, moisture and most chemicals.

HONDALOCK 2
087130002



Medium strength orange coloured threadlock for medium-torque fasteners.

HONDALOCK 2HT
087130004



High-temperature red coloured threadlock for medium-torque fasteners in high temperature applications such as cylinder head exhaust studs.

HONDALOCK 3
087130003



High-strength green coloured threadlock for semi-permanent and/or high torque fasteners. Helps retain gears, bearings and pulleys to their shafts.

HONDABOND HT
087180004



High-temperature silicone liquid gasket. Unique formula is non-acidic and won't corrode aluminium like other silicon gasket products will. For use in applications not requiring solid gaskets.

HONDABOND 4
087171194



Semi-drying liquid gasket. Seals irregular surfaces with a tough, elastic film. Solvent-based for easy removal; also resists gasoline.

HANDGRIP CEMENT
087120001



Required when installing PVC type handgrips. Ideal for use on rubber handgrips, footpeg covers, plus kickstart and shift pedal rubbers.

DIELECTRIC GREASE
087980001



Non-conductive waterproofing compound. Insulates electrical connections and adheres to most surfaces, sealing out moisture, dirt, and corrosion.

ATV FLAT PROOF
0871800AMM



454ML. Easy cleaning, water-soluble formula. Contains a rust inhibitor that prevents corrosion. Easy installation requires no tire removal. Seals punctures up to 4mm in diameter."



HONDA
GENUINE
PARTS AND ACCESSORIES